







Collective monograph

ISBN 979-8-88757-564-3 DOI 10.46299/ISG.2022.MONO.TECH.4 BOSTON(USA)-2022

# Improvement of scientific approaches to the development of engineering

Collective monograph

Boston 2022

Library of Congress Cataloging-in-Publication Data

ISBN -- 979-8-88757-564-3 DOI - 10.46299/ISG.2022.MONO.TECH.4

Authors – Babyak V., Gladilin V., Hladyshev D., Mysak I., Mysak P., Vozniuk L., Василенко О., Чвирова О., Перепелиця О., Танірвердієв А., Сташенко М., Л., Михайленко Е., Василенко О., Kyshenko V., Smityuh Gorpinchenko A., Krishchenko D., Ladanyuk A., Biletskyi M., Sverstyuk A., Andrushchak I., Matviiv Y., Kosheliuk V., Surinovych O., Кирилюк В.А., Іщенко Д.А., Кожушко Я.М., Клімішен О.О., Панасенко С.В., Кононихін О., Ільге І.Г., Плугіна Т.В., Гурко О.Г., Семенюк В.І., Коломійцев О.В., Жуйков Д.Б., Третяк В.Ф., Корнев О.В., Торба А., Д'яченко В., Партика С., Пушкар О., Kniaziev V., Shalamov S., Haidukevych S., Semenova N., Kolodiychuk L., Kolesnik V., Sorokina S., Penkina N., Polupan V., Penkin A., Obodovych O., Sydorenko V., Khomenko V., Chernyavsky K., Stepanova O., Бернацький А., Сіора О., Сіора І., Соколовський М., Шамсутдінова Н., Переяславцева О., Orel V., Popadiuk I., Matlai I., Pitsyshyn B., Єфименко О., Розенфельд М., Мусаєв З., Шукін О., Орел О., Котенко К.Е., Пімонов І., Шевченко В., Єфименко А., Жук Д., Сало В., Нечипоренко В., Літовченко П., Раківненко В., Павлов Я., Fialko N., Sherenkovskii J., Meranova N., Aleshko S., Rokitko K., Navrodska R., Shevchuk S., Gnedash G., Канюк Г., Фурсова Т., Мезеря А., Кравець Т., Рябоконь Г., Кузьма В., Заяць М., Фединець В., Васильківський І., Фіалко Н.М., Степанова А.І., Навродська Р.О., Меранова Н.О., Шевчук С.І., Dolia O., Dolia K.

#### **REVIEWER**

Ivan Katerynchuk – Doctor of Technical Sciences, Professor, Honoured Worker of Education of Ukraine, Laureate of the State Prize of Ukraine in Science and Technology, Professor of the Department of Telecommunication and Information Systems of Bohdan Khmelnytskyi National Academy of the State Border Guard Service of Ukraine.

Kostiantyn Dolia – Doctor of Engineering, Department of automobile and transport infrastructure, National Aerospace University "Kharkiv Aviation Institute".

#### Published by Primedia eLaunch <a href="https://primediaelaunch.com/">https://primediaelaunch.com/</a>

Text Copyright © 2022 by the International Science Group(isg-konf.com) and authors.

Illustrations © 2022 by the International Science Group and authors.

Cover design: International Science Group(isg-konf.com). ©

Cover art: International Science Group(isg-konf.com). ©

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, distributed, or transmitted, in any form or by any means, or stored in a data base or retrieval system, without the prior written permission of the publisher. The content and reliability of the articles are the responsibility of the authors. When using and borrowing materials reference to the publication is required.

Collection of scientific articles published is the scientific and practical publication, which contains scientific articles of students, graduate students, Candidates and Doctors of Sciences, research workers and practitioners from Europe and Ukraine. The articles contain the study, reflecting the processes and changes in the structure of modern science.

The recommended citation for this publication is:

**Improvement of scientific approaches to the development of engineering**: collective monograph / Babyak V. – etc. – International Science Group. – Boston : Primedia eLaunch, 2022. 562 p. Available at : DOI – 10.46299/ISG.2022.MONO.TECH.4

#### TABLE OF CONTENTS

1.	ARCHITECTURE AND CONSTRUCTION	
1.1	Babyak V.¹	11
	UNBUILDED RESIDENTIAL BUILDINGS IN UKRAINE, 1980S-1990S YEARS OF CONSTRUCTION. RE-PLANNING FOR THE NEW REALITIES AND PERSPECTIVES OF ITS IMPLEMENTATION	
	<sup>1</sup> Department of architectural design and engineering, Lviv Polytechnic National University	
1.2	Babyak V. <sup>1</sup>	21
	NEGATIVE CASE OF INTEGRATION MIGRANTS IN THE EU, FOR THE PERIOD BEFORE RUSSIA'S TOTAL WAR AGGRESSION IN UKRAINE	
	<sup>1</sup> Department of architectural design and engineering, Lviv Polytechnic National University	
1.3	Gladilin V.1	28
	PROBABILISTIC – STATISTICAL SEQUENTIAL ANALYSIS OF THE RESULTS OF GEODETIC MEASUREMENTS	
	<sup>1</sup> Department of Geodetsy and Land Management, Bilotserk National Agrarian University	
1.3.1	THE ESSENCE OF SEQUENTIAL ANALYSIS. LIMIT STANDARDS	28
1.3.2	CLARIFICATION OF THE VALUE OF X2 - DISTRIBUTION	31
1.3.3	SEQUENTIAL ANALYSIS OF CONTROL MEASUREMENTS IN TOPOGRAPHIC AND GEODETIC PRODUCTION	35
1.3.4	DETERMINATION OF THE MAXIMUM NUMBER OF	41
	CONTROL MEASUREMENTS IN GEODESY BY THE	
1 /	METHOD OF MARKOV RANDOM PROCESS	65
1.4	Hladyshev D. <sup>1</sup>	65
	ANALYSIS OF THE INTERACTION OF GROUPS OF BUILDINGS WITHIN THE BOUNDARIES OF DENSE BUILDING	
	<sup>1</sup> Department of architectural design and engineering, Lviv Polytechnic National University	
1.5	Mysak I. <sup>1</sup>	75
	MODELING OF WEIRS BY USING CFD	
	<sup>1</sup> Department of Hydraulic and Water Engineering, Lviv Polytechnic National University	
1.6	Mysak I. <sup>1</sup>	83
	BIM-TECHNOLOGIES IN UKRAINE	
	<sup>1</sup> Department of Hydraulic and Water Engineering, Lviv Polytechnic National University	

1.7	Mysak P.1, Mysak I.1	92
	MODELING OF RUNOFF HYDROGRAPHS FROM THE IMPERVIOUS SUBCATCHMENTS BY USING CFD	
	<sup>1</sup> Department of Hydraulic and Water Engineering, Lviv Polytechnic National University	
1.8	Vozniuk L.1	103
	TECHNICAL INSPECTIONS OF BUILDINGS AND STRUCTURES THAT ENSURE THE LIFE OF PEOPLE	
	<sup>1</sup> Department of architectural design and engineering, Lviv Polytechnic National University	
1.9	Vozniuk L.1	112
	PRESERVATION AND RESTORATION OF BUILDING STRUCTURES OF CHURCHES IN UKRAINE, WHICH ARE RELIGIOUS, HISTORICAL, CULTURAL AND ARCHITECTURAL HERITAGE	
	<sup>1</sup> Department of architectural design and engineering, Lviv Polytechnic National University	
1.10	Василенко О. <sup>1</sup> , Чвирова О. <sup>1</sup> , Перепелиця О. <sup>1</sup> , Танірвердієв А. <sup>1</sup> , Сташенко М. <sup>1</sup>	120
	ЕКОЛОГІЧНІ ФАКТОРИ ВПЛИВУ СВІТЛОВИХ ЗАСОБІВ НА ЛЮДИНУ У ВНУТРІШНІХ ТА ЗОВНІШНІХ ПРОСТОРАХ	
	<sup>1</sup> Кафедра дизайну архітектурного середовища Одеської державної академії будівництва та архітектури	
1.11	Вовк Л.1	130
	АНАЛІЗ ГІДРОХІМІЧНОГО СТАНУ РІЧКИ ПІВДЕННИЙ БУГ ЗА ПОКАЗНИКОМ РОЗЧИНЕНОГО КИСНЮ	
	<sup>1</sup> Національний університет «Львівська політехніка»	
1.12	Михайленко Е. <sup>1</sup> , Василенко О. <sup>1</sup>	139
	ХАРАКТЕРНІ ВЛАСТИВОСТІ АРХІТЕКТУРНОЇ СИСТЕМИ	
	<sup>1</sup> Кафедра дизайну архітектурного середовища, Одеська державна академія будівництва та архітектури, Україна	
2.	COMPUTER SCIENCE	
2.1	Kyshenko V. <sup>1</sup> , Smityuh Y. <sup>1</sup> , Gorpinchenko A. <sup>1</sup> , Krishchenko D. <sup>1</sup>	149
	NONLINEAR DYNAMICS IN PROBLEMS OF CONTROLLING TECHNOLOGICAL COMPLEXES	
	<sup>1</sup> Department of automation and computer technologies of control systems, National University of Food Technologies, Kyiv, Ukraine	

2.2	Kyshenko V. <sup>1</sup> , Smityuh Y. <sup>1</sup> , Ladanyuk A. <sup>1</sup> , Kryshchenko D. <sup>1</sup> , Biletskyi M. <sup>1</sup> MONITORING METHODS OF TECHNILOGICAL PROCESSES	160
	IN CONTROL SYSTEMS <sup>1</sup> Department of automation and computer technologies of control systems, National University of Food Technologies, Kyiv, Ukraine	
2.3	Sverstyuk A. <sup>1</sup> , Andrushchak I. <sup>2</sup> , Matviiv Y. <sup>2</sup> , Kosheliuk V. <sup>2</sup> , Surinovych O. <sup>2</sup>	172
	MULTICHANNEL NETWORKS WITH PERIODIC EXTERNAL LOAD	
	<sup>1</sup> Ternopil State Medical University I.Ya. Gorbachevskii	
	<sup>2</sup> Lutsk National Technical University	
2.4	Кирилюк В.А. <sup>1</sup> , Іщенко Д.А. <sup>1</sup> , Кожушко Я.М. <sup>2</sup> , Клімішен О.О. <sup>3</sup> , Панасенко С.В. <sup>2</sup>	182
	ПІДХІД ДО ПОБУДОВИ СПЕЦІАЛІЗОВАНОГО ШАРУ ЦИФРОВОЇ КАРТИ ГЕОІНФОРМАЦІЙНОЇ СИСТЕМИ В ІНТЕРЕСАХ ПЛАНУВАННЯ ЗАСТОСУВАННЯ РАДІОЕЛЕКТРОННИХ ЗАСОБІВ	
	<sup>1</sup> Житомирський військовий інститут імені С.П. Корольова	
	<sup>2</sup> Державний науково-дослідний інститут випробувань та сертифікації озброєння та військової техніки, Житомирський військовий інститут імені С.П. Корольова,	
	3 Харківський національний університет Повітряних Сил імені Івана Кожедуба, Україна	
2.5	Кононихін О. <sup>1</sup> , Ільге І.Г. <sup>1</sup> , Плугіна Т.В. <sup>1</sup> , Гурко О.Г. <sup>1</sup>	196
	ІНФОРМАЦІЙНА СИСТЕМА ВИБОРУ ДОРОЖНЬО- БУДІВЕЛЬНИХ МАШИН ТА ІНФОРМАЦІЙНОГО ІНСТРУМЕНТАРІЮ ДЛЯ ВИРІШЕННЯ ЗАДАЧІ ПОЗИЦІОНУВАННЯ ЇХ РОБОЧИХ ОРГАНІВ	
	<sup>1</sup> Кафедра автоматизації та комп'ютерно-інтегрованих технологій, Харківський національний автомобільно-дорожній університет	
2.6	Семенюк В.І. <sup>1</sup> , Коломійцев О.В. <sup>2</sup> , Жуйков Д.Б. <sup>1</sup> , Третяк В.Ф. <sup>1</sup> , Корнєв О.В. <sup>3</sup>	213
	НАУКОВО-МЕТОДИЧНІ РЕКОМЕНДАЦІЙ ЩОДО ВИКОРИСТАННЯ ЕЛЕКТРОННОГО ПОСІБНИКА "КУРС СТРІЛЬБ" ТА "БУДОВА АК74" ІНТЕРАКТИВНОГО НАВЧАЛЬНО-ТРЕНУВАЛЬНОГО КОМПЛЕКСУ "УЧИСЬ ВЛУЧНО СТРІЛЯТИ"	
	1 Харківський національний університет Повітряних Сил імені Івана Кожедуба	
	<sup>2</sup> Національний технічний університет «Харківський політехнічний інститут»	
	³ Національна академія Національної гвардії України	

2.7	Торба А. <sup>1</sup> , Д'яченко В. <sup>1</sup> , Партика С. <sup>1</sup> , Пушкар О. <sup>2</sup>	232
	НЕДЕРМІНОВАНІ ГЕНЕРАТОРИ ВИПАДКОВИХ БІТІВ НА ОСНОВІ СТАНДАРТУ ISO/IEC 18031:2005	
	<sup>1</sup> Кафедра ЕОМ, Харківський національний університет радіоелектроніки	
	<sup>2</sup> Харківський національний університет радіоелектроніки	
3.	ELECTRICAL ENGINEERING	
3.1	Kniaziev V. <sup>1</sup> , Shalamov S. <sup>1</sup>	242
	ASPECTS RELATED TO THE IMPROVEMENT OF THE TECHNOLOGY OF APPLYING PHYSICAL AND MATHEMATICAL MODELS TO INCREASE THE ELECTROMAGNETIC STABILITY OF AEROSPACE ENGINEERING SAMPLES	
	<sup>1</sup> R&D Institute "Molniya", National Technic University "Kharkiv Polytechnic Institute"	
4.	INNOVATIVE TECHNOLOGIES	
4.1	Haidukevych S. <sup>1</sup> , Semenova N. <sup>1</sup> , Kolodiychuk L. <sup>1</sup>	283
	РОЗРОБКА АВТОМАТИЧНОЇ СИСТЕМИ КЕРУВАННЯ ЕЛЕТРОПРИСТРОЯМИ ЖИТЛОВОГО БУДИНКУ НА БАЗІ КОНЦЕПЦІЙ SMART ТЕХНОЛОГІЙ	
	<sup>1</sup> Separated subdivision of the National university of bioresources and natural use of Ukraine "Berezhansky agrotechnical institute", Berezhani, Ukraine	
4.2	Kolesnik V. <sup>1</sup> , Sorokina S. <sup>1</sup> , Penkina N. <sup>1</sup> , Polupan V. <sup>1</sup> , Penkin A. <sup>1</sup>	307
	SCIENTIFIC SUBSTANTIATION AND DEVELOPMENT OF RATIONAL MODES OF PACKAGING PAPER FLAVORING	
	<sup>1</sup> Department of Trade, Hotel and Restaurant Business and Customs, State Biotechnological University	
4.3	Obodovych O. <sup>1</sup> , Sydorenko V. <sup>1</sup> , Khomenko V. <sup>1</sup> , Chernyavsky K. <sup>1</sup> , Stepanova O. <sup>1</sup>	317
	NUMERICAL MODELING OF A ROTARY-PULSATION APPARATUS WITH RECTANGULAR HOLES (3D MODEL)	
	<sup>1</sup> Department Thermophysics of Pulsed Processes in Disperse Systems, Institute of Engineering Thermophysics of National Academy of Sciences of Ukraine, Kyiv, Ukraine	
4.4	Бернацький А. <sup>1</sup> , Сіора О. <sup>1</sup> , Сіора І. <sup>2</sup> , Соколовський М. <sup>1</sup> , Шамсутдінова Н. <sup>1</sup>	330
	ОГЛЯД ПРАЦЬ З РОЗРОБКИ ТА ВИКОРИСТАННЯ РУЧНОГО ЛАЗЕРНОГО ІНСТРУМЕНТА	
	<sup>1</sup> Відділ «Спеціалізована високовольтна техніка та лазерне зварювання», Інститут електрозварювання ім. Є.О. Патона Національної академії наук України	
	<sup>2</sup> Відділ біомедичних проблем поверхні, Інститут хімії поверхні ім. О.О. Чуйка, Національної академії наук України	

4.5	Переяславцева О.1	341
	ЕКСПЕРИМЕНТАЛЬНІ ДОСЛІДЖЕННЯ ВПЛИВУ РІЗНИХ ФАКТОРІВ НА ОСОБЛИВОСТІ ПРОЦЕСУ РОЗПИЛЮВАЛЬНОГО СУШІННЯ БАКТЕРІАЛЬНОГО ПРЕПАРАТУ "БІФАЦИЛ"	
	<sup>1</sup> Інститут технічної теплофізики, Національної академії наук України, м. Київ	
5.	MECHANICAL ENGINEERING	
5.1	Orel V.1, Popadiuk I.1, Matlai I.1, Pitsyshyn B.1	351
	THE EFFECT OF THE INFLUENCE OF AQUEOUS METAUPON SOLUTIONS ON THE FRICTION RESISTANCE IN THE GAP BETWEEN A ROTATING ROTOR AND A STATIONARY STATOR	
	<sup>1</sup> Department of Hydraulic and Water Engineering, Lviv Polytechnic National University	
5.2	Pitsyshyn B. <sup>1</sup> , Matlai I. <sup>1</sup> , Popadiuk I. <sup>1</sup> , Orel V. <sup>1</sup>	360
	THE EFFECT OF THE INFLUENCE OF AQUEOUS DITALAN SOLUTIONS ON THE FRICTION RESISTANCE IN THE GAP BETWEEN A ROTATING ROTOR AND A STATIONARY STATOR	
	<sup>1</sup> Department of Hydraulic and Water Engineering, Lviv Polytechnic National University	
5.3	<ul><li>€фименко О.¹, Розенфельд М.¹, Мусаєв З.¹, Щукін О.¹,</li><li>Орел О.¹</li></ul>	371
	ТЕОРЕТИЧНЕ ДОСЛІДЖЕННЯ ДИНАМІЧНОЇ СТІЙКОСТІ КОРОТКОБАЗОВИХ НАВАНТАЖУВАЧІВ У ТРАНСПОРТНОМУ РЕЖИМІ	
	<sup>1</sup> Кафедра будівельних і дорожніх машин, Харківський національний автомобільно- дорожній університет	
5.4	Котенко К.Е. <sup>1</sup>	380
	ВПЛИВ АРМУВАННЯ ПОЛІМЕРНОГО ЗАПОВНЮВАЧА НА ДИНАМІКУ ТРИШАРОВИХ ОБОЛОНКОВИХ СТРУКТУР	
	<sup>1</sup> Кафедра теоретичної механіки, Київський національний університет будівництва і архітектури	
5.5	Пімонов І.1, Шевченко В.1, Єфименко А.1, Жук Д.1	389
	ЕНЕРГОЗБЕРЕЖНЕ УСТАТКУВАННЯ ДЛЯ ДІАГНОСТИКИ ГІДРОПРИВОДА	
	<sup>1</sup> Кафедра будівельних і дорожніх машин, Харків, Харківський національний автомобільно- дорожній университет	

5.6	Сало В. $^1$ , Нечипоренко В. $^1$ , Літовченко П. $^1$ , Раківненко В. $^1$ , Павлов Я. $^1$	399
	ПРО РОЗРАХУНОК НА МІЦНІСТЬ І ЖОРСТКІСТЬ ОБОЛОНКОВИХ КОНСТРУКЦІЙ НА БАЗІ ВАРІАЦІЙНОГО RVR-МЕТОДА	
	1 Національна академія Національної гвардії України, Харків, Україна	
6.	METALLURGY AND ENERGY	
6.1	Fialko N.¹, Sherenkovskii J.¹, Meranova N.¹, Aleshko S.¹, Rokitko K.¹	417
	CFD MODELING OF MICROJET COMBUSTION PROCESSES WITH ASYMMETRIC FUEL SUPPLY	
	<sup>1</sup> Institute of Engineering Thermophysics of NAS of Ukraine, Kyiv, Ukraine	
6.2	Fialko N.1, Navrodska R.1, Shevchuk S.1, Gnedash G.1	429
	EFFICIENCY OF AIR HEAT-RECOVERY EQUIPMENT FOR GLASS FURNACES	
	<sup>1</sup> Department of Thermophysics of Energy Efficient Heat Technologies, Institute of Engineering Thermophysics of National Academy of Sciences of Ukraine, Kyiv	
6.3	Канюк Г. <sup>1</sup> , Фурсова Т. <sup>1</sup> , Мезеря А. <sup>1</sup>	439
	АВТОМАТИЗОВАНІ СИСТЕМИ КОМПЛЕКСНОЇ ТЕХНІЧНОЇ ДІАГНОСТИКИ ЕНЕРГЕТИЧНИХ ОБ'ЄКТІВ ІЗ ЗАСТОСУВАННЯМ АРХІТЕКТУРИ "КЛАСНОЇ ДОШКИ"	
	<sup>1</sup> Кафедра автоматизації, метрології та енергоефективних технологій, Українська інженерно-педагогічна академія	
6.4	Кравець Т. <sup>1</sup> , Рябоконь Г. <sup>2</sup> , Кузьма В. <sup>1</sup> , Заяць М. <sup>1</sup>	449
	ПОБУДОВА ЕНЕРГЕТИЧНИХ ХАРАКТЕРИСТИК ТУРБОУСТАНОВКИ К-325-23,5 ПРИ ВІДХИЛЕННІ ПОЧАТКОВИХ ПАРАМЕТРІВ ПАРИ ТА ЗМІНАХ У ТЕПЛОВІЙ СХЕМІ	
	<sup>1</sup> Кафедра теплоенергетики, теплових та атомних електричних станцій, Національний університет «Львівська політехніка	
	<sup>2</sup> ПрАТ «ЛЬВІВОРГРЕС»	
6.4.1	АНАЛІЗ ДАНИХ З ЛІТЕРАТУРНИХ ДЖЕРЕЛ	450
6.4.2	МЕТА ДОСЛІДЖЕННЯ	451
6.4.3	РОЗРОБКА МАТЕМАТИЧНОЇ МОДЕЛІ ТУРБОУСТАНОВКИ З ВИКОРИСТАННЯМ РЕЗУЛЬТАТІВ ТЕПЛОВИХ ВИПРОБУВАНЬ	452
6.4.4	ІМІТАЦІЙНИЙ ЕКСПЕРИМЕНТ НА МАТЕМАТИЧНІЙ МОДЕЛІ ТУРБОУСТАНОВКИ	456

6.4.5	АНАЛІЗ РЕЗУЛЬТАТІВ ІМІТАЦІЙНОГО ЕКСПЕРИМЕНТУ НА МАТЕМАТИЧНІЙ МОДЕЛІ	459
6.5	Фединець В. <sup>1</sup> , Васильківський І. <sup>1</sup>	462
	ВПЛИВ КОНСТРУКЦІЇ І СПОСОБУ МОНТАЖУ ПЕРВИННИХ ТЕРМОПЕРЕТВОРЮВАЧІВ НА ПОХИБКУ ВИМІРЮВАННЯ ТЕМПЕРАТУРИ ПЛИННИХ ЕНЕРГОНОСІЇВ	
	<sup>1</sup> Національний університет «Львівська політехніка»	
6.6	Фіалко Н.М. <sup>1</sup> , Степанова А.І. <sup>1</sup> , Навродська Р.О. <sup>1</sup> , Меранова Н.О. <sup>1</sup> , Шевчук С.І. <sup>1</sup>	471
	ЕКСЕРГЕТИЧНА ЕФЕКТИВНІСТЬ ТЕПЛОУТИЛІЗАЦІЙНИХ СИСТЕМ З ПОВІТРЯНИМ МЕТОДОМ ЗАХИСТУ ГАЗОВІДВІДНИХ ТРАКТІВ КОТЕЛЕНЬ	
	1 Інститут технічної теплофізики НАН України	
6.7	Фіалко Н.М. <sup>1</sup> , Степанова А.І. <sup>1</sup> , Навродська Р.О. <sup>1</sup> , Меранова Н.О. <sup>1</sup> , Шевчук С.І. <sup>1</sup>	479
	АНАЛІЗ ЕКСЕРГЕТИЧНИХ ХАРАКТЕРИСТИК ТЕПЛОУТИЛІЗАЦІЙНИХ СИСТЕМ КОТЕЛЬНИХ УСТАНОВОК	
	1 Інститут технічної теплофізики НАН України	
7.	TRANSPORT	
7.1	Dolia O.1, Dolia K.2	487
	STUDY OF THE PASSENGER TRAFFIC PARAMETERS IN AIR TRANSPORT – THE MAIN FACTOR IN PLANNING LOADS	
	<sup>1</sup> Kharkiv National University of Radio Electronics, Kharkiv, Ukraine.	
	<sup>2</sup> The National Aerospace University "Kharkiv Aviation Institute", Kharkiv, Ukraine.	
	REFERENCES	519

10.46299/ISG.2022.MONO.TECH.4.4.2

#### 4.2 Scientific substantiation and development of rational modes of packaging paper flavoring

The study of trends in innovative development and production of products of the pulp and paper industry of Ukraine is an urgent issue of our time, since in Ukraine there are more than 2.6 thousand enterprises with about 40 thousand employees, producing more than 300 items of marketable products supplied to domestic and foreign markets. And this allows Ukraine to provide the population with jobs and maintain a competitive position in the global paper market [245].

According to the conclusions of the target program for the development of the pulp and paper industry of Ukraine and the domestic market of cardboard and paper products [246], one of the promising areas for further development is: expansion of the raw material base to increase the range of products with new properties; improvement and modernization of production to obtain a new product, etc.

Improving the quality of decorative wrapping paper will increase consumer interest in this type of product. Consumer properties that primarily affect the choice and demand of customers are aesthetic characteristics that can be seen visually. A positive impact on human impressions is effectively carried out through the visual organ, in particular due to the brightness and visual appeal of wrapping paper. This is also confirmed by the psychology of color in marketing, advertising and trade [247]. At the same time, it is well known that smells can directly affect and change a person's mood. In this case, certain aromas can have a specific effect, causing relaxation, excitement or increased sensuality. In aromatherapy, it is known about the influence of a number of essential oils on the emotional state of a person. Smells can be stored for a long time in the emotional memory of a person and activate it. As noted by modern scientists [248,249], the share of smells accounts for up to 10% of the effect that is recorded in the subconscious of a person when he or she gets acquainted with a new place, product or item, which is a significant percentage, given the influence of other factors, such as color, sound, etc.

Based on the above, the actual direction of the industry development is the aromatization of packaging paper, which will expand the range of relevant products and increase consumer interest. Aromatization with essential oils is not only a pleasant smell, but also a healing effect. That is, in this case it is important to positively influence a person through the senses

The aim of the work is to improve the consumer properties of packaging paper; scientific substantiation and development of rational modes and methods of impregnation of packaging paper with aroma compositions of essential oils.

To achieve this goal and conduct experimental studies, decorative wrapping paper was chosen, which has a variety of designs, colors, and patterns, as well as different structures. Such paper is mainly used for wrapping gifts and flower compositions (made of flowers that have an unexpressed aroma).

The implementation of the proposed technology for the production of wrapping paper with additional consumer properties is carried out by aromatization. To achieve the desired result, the following was carried out as part of the experimental work:

- 1. Creation of aroma-composition of essential oils "Christmas tree", which will be used for aromatization of wrapping paper.
- 2. Production of aroma composition with 100% concentration, with 75% concentration and 50% concentration of essential oils.
- 3. Impregnation of cotton plates with dotted application of aroma composition: the first plate 100% solution in the amount of 1 ml, the second plate 75% solution in the amount of 1.25 ml, the third plate 50% solution in the amount of 1.85 ml.
- 4. Putting cotton plates in the lower compartment of three sealed boxes made of polyethylene terephthalate (PET).
- 5. Checking the strength of the aroma that will be collected in three boxes depending on the concentration of the aroma composition.
  - 6. Selection of the required concentration of the aroma composition.
  - 7. Placing the paper in the upper compartment of the sealed PET boxes.
- 8. Studying the effect of aging time and concentrations of aroma compositions on the quality of the developed samples of scented paper.

9. Studying changes in the stability of the aroma of samples of scented decorative paper.

In order to develop and improve the consumer properties of wrapping paper, namely to check the influence of the material on the strength of the paper aroma and the influence of the material on the duration of the aroma in the paper, five samples of wrapping paper were used, which differ in composition:

- 1. scented regular paper;
- 2. flavored corrugated paper;
- 3. flavored combined paper covered with laminated foil on one side;
- 4. flavored combined paper covered with metallized foil on one side;
- 5. flavored combined paper covered on one side with a polyethylene layer.

A preliminary organoleptic evaluation of the quality of essential oils used to create the aroma composition "Christmas Tree" was carried out, the results of which are shown in Table 1.

Table 1. Organoleptic evaluation of essential oils quality

· •	Requirements			Essential oils	S	
Indicators	for products	Pine	Fir	Spruce	Juniper	Cedar
ica	according to					
nd	regulatory					
I	documentation					
4	Liquid, homo-	Meets	s the requirer	nents of regula	atory docume	ntation
nce	geneous, transparent (no undis- solve substances)	liq	uid, homoge	neous, transpa	rent consisten	cy
ara	transparent					
be	(no undis- solve					
Ap	substances)					
	consistency					
	Intrinsic.	Meet	s the require	ments of regul	atory docume	ntation
	The degree		col	orless		light golden
	of intensity is					yellow
Color	characterized as					
S	colorless,					
	weakly /					
	intensely					
	colored					

Continuation of table 1

	Peculiar to this	Meets the requirements of regulatory documentation				ntation
	product,		pronounced	pronounced	Strongly	pronounce
ste	without foreign flavors	without	without	without	pronounced	dwithout
Ta	flavors	foreign	foreign	foreign	without	foreign
		aftertaste	aftertaste	aftertaste	foreign	aftertaste
					aftertaste	
	Peculiar,	Peculiar, Meets the requirements of regulatory documentation				itation
	without foreign	fresh forest,	with a rich,	a rich, fresh,	a	a persistent,
	odors.	coniferous,	persistent	resinous,	characteristic	rich
Smell	Characterized	with	smell of fir,	typical	rich,	balsamic
S	by: odorless,	balsamic-	without	coniferous	persistent	cedar smell
	with a	woody	foreign	smell	smell of	
	perceptible odor	smell	odors		juniper	

All presented samples of essential oils have a liquid homogeneous transparent consistency. They have no color, that is, they are colorless, except for cedar, which has a light golden yellow color, which is inherent in this product. All samples have a pronounced taste without foreign flavors, except for juniper, which has a pronounced taste inherent in this product. The smell of the oils, which is decisive for the subsequent aromatization of wrapping paper, has a characteristic smell of the presented samples and is saturated strong.

Thus, the presented essential oils in all respects meet the requirements of regulatory documents and are of high quality.

The quality assessment of cotton plates to be used for impregnation with aroma composition is given in Table 2.

Table 2. Commodity characteristics of medical hygroscopic cotton wool indicators

Indicators	Norm according to the	Results of the
	regulatory document	research
Contamination, %, not more	0,70	0,58
than		
Content of foreign impurities:	Not allowed	None
needles, chips, etc.		
Ash content, %, not more than	0,40	0,37
Humidity, %, not more than	8,0	7,3

#### Continuation of table 2

Absorption capacity, g, not less	67	68
than		
Reaction of water extraction	Neutral	Neutral
Degree of whiteness, %, not less	66	68
(for non-sterile)		
The smell	Not allowed	None

As a result of the assessment of the quality of the cotton wool, the following was found out: the contamination, ash content and humidity of the cotton wool are within the normal range, there are no foreign impurities and odor, the absorption capacity and the degree of whiteness are higher than the standard, which is a positive indicator for this type of product, the reaction of the water extraction is neutral.

Consequently, medical hygroscopic hygienic cotton wool is of high quality and can be used for flavoring packaging paper.

The technical characteristics of the developed sealed PET box [250], which will be further used for the experiment, were carried out, the results are shown in Table 3.

Table 3.

Technical characteristics of the sealed PET box

Indicators	Characteristics	
Appearance A cylindrical box divided into two sectors - the lower or		
	(a section for placing cotton wool impregnated with aroma	
	composition), which is 1/15 of the height of the box and the upper	
	one is large (a section for placing paper to be scented); the partition	
	between the sectors is made of PET, which has holes placed eve	
	over the entire surface, 1 mm in diameter	
Stiffness High, the product does not bend, firmly held on a ho		
	surface	
Height, cm	The whole box 110, the lower part 7	
Diameter, cm	20	

The technical characteristics included: description of appearance, stiffness, color, height and diameter. The parameters of the box are taken into account the size of an average reel of paper.

To study the optimization of the formulation components, at the first stage, an aroma composition of essential oils "Christmas tree" was created, with the help of which the aromatization of wrapping paper was carried out. The aroma composition included: essential oil of pine, fir, spruce, cedar, juniper in equal amounts.

The next step was to prepare glycerin solutions of aroma compositions of different concentrations, namely: a solution with 100% concentration of essential oils, glycerin solution of aroma composition with 75% concentration of essential oils, glycerin solution of aroma composition with 50% concentration of essential oils.

After obtaining the aroma composition "Christmas tree" with the specified concentration of essential oils, the cotton wool plates were impregnated with a dotted application: the first plate - 100% solution in the amount of 1 ml, the second - 75% solution - in the amount of 1.25 ml, the third - 50% solution - in the amount of 1.85 ml and placed in the lower compartment of three sealed PET boxes.

The acquired aroma of wrapping paper was studied using the Guilford odor quality assessment scale in our own modification [251]. The developed scale for scoring the intensity of aromatization of packaging paper samples is shown in Table 4.

Table 4.

Scoring scale for assessing the intensity of aromatization of wrapping paper samples

Number of points	Characteristics of the perceived odor
0	There is no smell
1	The smell is barely perceptible
2	The smell is weakly expressed, but perceptible
3	The smell is moderate, but not very intense
4	The smell is moderate, well expressed, not fully saturated
5	The smell is moderate, well expressed, moderately pleasant

#### Continuation of table 4

6	The smell is pronounced, very pleasant
7	The smell is pronounced, very intense
8	The smell is pronounced, but too intense
9	The smell is heavy, not very pleasant
10	The smell is very heavy, unpleasant

The next step of the research was to check the strength of the aroma accumulated in the boxes depending on the concentration of the aroma composition. The results are shown in Table 5.

Table 5. Aroma strength depending on the concentration of aroma composition

Box with aroma composition	Characteristics of aroma in a box with
	aroma composition
100% concentration of essential oils	The smell is pronounced, very intense (7
	points)
75% concentration of essential oils	The smell is pronounced, very pleasant (6
	points)
50% concentration of essential oils	The smell is moderate, well expressed,
	not fully saturated (4 points)

The study of different concentrations of essential oils in the aroma composition "Christmas tree" was carried out in order to verify the feasibility of using the variant with 100% concentration for the aroma of packaging paper and the possibility of reducing the cost of this solution.

As a result of the study, it was found that the strength of the aroma of 100% and 75% concentration of the aroma composition is almost the same, and the strength of the aroma of 50% concentration did not give the desired result, as it had too weak a smell for further aromatization of wrapping paper.

Therefore, for further research, aroma compositions with a concentration of 100% and 75% were selected. The expediency of using these samples is determined taking into account the threshold of human sensitivity.

At the next stage of research, the dependence of the aging period and the

concentration of the aroma composition on the intensity of aromatization of wrapping paper in the upper compartment of a sealed PET box was checked. To do this, samples of wrapping paper were placed in the upper compartments of two sealed boxes with 100% and 75% concentration of aroma compositions for the same periods of time. The first test samples were taken out of the two boxes after 1 hour and checked the intensity of the aroma of the wrapping paper, which was flavored in boxes with different concentrations of aroma compositions. The following samples of paper were taken out of the two boxes at the following intervals: 3 hours, 6 hours, 12 hours, 24 hours, 36 hours, 48 hours and 72 hours. We noted the change in the intensity of the aroma and found out during what time the paper is completely aromatized and can be used. Based on the results obtained experimentally, we concluded that the aging time affects the aromatization of wrapping paper, but only up to a certain time. This time is the period during which the paper is completely aromatized and suitable for further use. Extending the aging time of the prototypes did not lead to an increase in aroma, further aging can be used for storage purposes.

Based on the study, it was found that the required period of exposure of wrapping paper in the upper compartment of a sealed box with 100% concentration of aroma composition for its complete aromatization was 24 hours, and in a sealed box with 75% concentration of aroma composition - 48 hours.

It was found that the material from which the wrapping paper is made also affects the degree of aroma of already flavored paper, but it is not advisable to increase the period of keeping the paper in the upper compartment of the sealed box, because the strength of aromatization depends on the composition of the paper, and not on the period of keeping the paper. It was determined that samples of plain paper and corrugated paper are characterized by the highest absorption capacity for aroma compared to other samples.

Subsequently, a study of changes in the stability of the aroma of samples of flavored wrapping paper was carried out. To test the stability of the aroma, the samples were stored for up to 48 hours indoors at a temperature of 18...20°C and relative humidity of 70...75%.

The paper samples were examined at the following intervals: 6 h, 12 h, 24 h, 36 h and 48 h. The time range was chosen taking into account the possible time interval between packaging and delivery of the product to the consumer. We note the change in the strength of the aroma at appropriate intervals. It was found that the samples of paper, which were kept in the upper compartment of the sealed box with 100% concentration of the aroma composition, retain a strong aroma up to 36 hours and only after this period they begin to lose the intensity of the aroma, but the smell remains up to 48 hours, but it is not intense enough. Paper samples treated with 75% concentration of the aroma composition retain a strong aroma up to 24 hours, and after this period begin to lose the aroma, but it does not disappear completely until 48 hours, but has a lower intensity than paper samples that were kept in an environment with 100% concentration of the aroma composition.

According to the results of the study, it was proved that the material from which the wrapping paper is made also affects the durability of the aroma. It was found that flavored plain paper and flavored corrugated paper retained the aroma for the longest time.

During the aging of these types of paper in 100% and 75% concentration of the aroma composition, their aroma remained intensely strong up to 36 hours. The pronounced aromatization of the paper remained up to 48 hours when using both concentrations, but had a slightly different intensity.

The obtained research results indicate that the treatment of wrapping paper by keeping it in a box with aroma composition allows to obtain flavored paper that does not lose its properties when used for 48 hours.

It was found that the rational period of keeping the wrapping paper in the upper compartment of a sealed box with 100% concentration of aroma composition for its full aromatization is 24 hours, and in a sealed box with 75% concentration of aroma composition - 48 hours.

The effect of dilution of the aroma composition from 100% to 75% concentration does not significantly affect the degree of aromatization of the paper, which makes it possible to reduce the price of this development when using 75% concentration of the

aroma composition.

It was determined that the material from which the wrapping paper is made affects the intensity of the aroma in the flavored paper: the most pronounced aroma was in plain paper and corrugated paper, and the intensity of the aroma in paper with a combined composition (covered with another material on one or both sides) is somewhat lower. This is due to the higher porosity and more pronounced sorption properties of plain and corrugated paper.

Thus, a method of aromatization of packaging paper has been scientifically substantiated and developed, which contributes to improving the quality, aesthetic expressiveness and satisfaction of consumer demand.