MINISTRY OF EDUCATION AND SCIENCE OF UKRAINE STATE BIOTECHNOLOGICAL UNIVERSITY

Faculty of Veterinary Medicine

PHARMACOLOGY AND PARASOTOLOGY DEPARTMENT



WORKBOOK

,, olding				
for laboratory classes of educational discipline «Veterinary Parasitology»				
for student group year				
second master's level in speciality 211 - Veterinary medicine				
Part II				

(Surname and Name)

Lecturer: PhD.		
•	Surname	
	Name patronymic	

UDC 636.09:616.99(076.5)

Approved by the methodological commission Faculty of Veterinary Medicine SBTU (protocol number __ dated 2023/02/__)

Considered and approved at the session of the Pharmacology and parasitology department of SBTU (protocol number 7 dated 2023/02/03)

Authors: Nikiforova O.V., Mazanny O.V.

Reviewer: associate professor of department of epizootology and microbiology, Candidate of Veterinary Sciences Savenko M.M.

Workbook for laboratory classes of educational discipline «Veterinary Parasitology» for students of IV-V years of second master's level in speciality 211 – Veterinary medicine. / O.V. Nikiforova, O.V. Mazanny. Kh., 2023. Part II. 64 p.

Basic foundation of Veterinary and Cestodology and Nematodology have been stated. The data on the morphology and biology of agents of invasive disease of ruminants, horses, pigs, carnivorous, rabbits, birds and bees have mentioned.

For training at higher educational institutions III-IV accreditation level on the specialty 211 – «Veterinary medicine".

Second edition.

Translated and layout created by O.V. Nikiforova, cand. of vet. sci., associate professor of Pharmacology and Parasotology department of SBTU

© Nikiforova O.V., Mazanny O.V., 2023

CONTENTS

$N_{\underline{0}}$	Topics of lab classes	Page.
1	Characteristics of nematodes of suborder Oxyurata. Diagnostics and differential diagnosis of solipeds' oxyurosis and	17
	rabbits' passalurosis	1 /
2	Diagnostics and differential diagnosis of skrjabinemosis of small cattle, heterakidoses of poultry	20
3	Characteristics of nematodes of suborder Ascaridata. Diagnostics and differential diagnosis of ascarosis of pigs, ascaridatoses of carnivorous.	23
4	Diagnostics and differential diagnosis of solipeds' parascarosis and calves' neoascarosis. Diagnostics and differential diagnosis of ascaridiosis of poultry, anisakidoses of fish and poultry	28
5	Characteristics of nematodes of suborder Strongylata. Diagnostics and differential diagnosis of strongylidoses of digestive tract in solipeds tract and ruminants	31
6	Diagnostics and differential diagnosis of ancylostomatidoses of carnivorous, oesophagostomosis of pigs and	34
7	amidostomosis of geese	
	Content module IV. «Veterinary nematodology and nematodoses of animals part I»	37
8	Characteristics of nematodes of suborder <i>Trichurata</i> . Diagnostics and differential diagnosis of animals' trichuroses.	41
9	Diagnostics and differential diagnosis of animals' capilariosis and trichinelosis.	45
10	Characteristics of nematodes of suborder <i>Spirurata</i> . Diagnostics and differential diagnosis of thelaziosis of cattle and spiruratoses of poultry (tetramerosis, streptocarosis, echinuriosis)	48
11, 12	Characteristics of nematodes of suborder <i>Filariata</i> . Diagnostics and differential diagnosis of onchocercoses and setarioses of ruminants and horses.	
	Diagnostics and differential diagnosis of parafilariosis of horses, dirofilariosis of carnivorous	50
13	Characteristics of nematodes of suborder Rhabditata. Diagnostics and differential diagnosis of strongyloidoses of young animals	57
14	General characteristics of helminthes of Acanthocephala class. Diagnostics and differential diagnosis of macracanthorhynchosis of pigs, poultry's polymorphosis and filicollosis	
	Content module IV. «Veterinary nematodology and nematodoses of animals» (part II)	60

RECOMMENDED BOOKS

- 1. Timothy M. Goater, Cameron P. Goater, Gerald W. Esch. Parasitism. The diversity and ecology of animal parasites. Second edition, Cambridge, University Press, 2001, 2014, 524 p.
 - 2. Gregory v. Lamann. Veterinary parasitology. Nova biomedical Press, Inc. New York, 2010, 323 p.
- 3. G.M.Urquhart, J.Armour, J.L.Duncan at all. Veterinary parasitology. The faculty of veterinary medicine, the University of Glasgow, Scotland, 2nd edition 1996, 307 p.
- 4. Dwight D. Bowman Charles M. Hendrix David S. Lindsay Stephen C. Barr. Feline Clinical Parasitology. Iowa State University Press. 2002. 469 c.

METHODOLOGY OF DISCIPLINE «VETERINARY PARASITOLOGY»

Preparing for each class, the student should know:

- 1. Definition of each disease.
- 2. Place of infectious agents in the animal classification.
- 3. Morphological and biological peculiarities of pathogens and characteristics of their eggs or larvae. To know how they are different from other parasites.
- 4. Complex life diagnostics (features of epizootology, pathogenesis, clinical signs, special (laboratory) diagnostics), differential diagnosis.
- 5. Post-mortem diagnostics of invasions, taking into account the site and type of zooparasites, the intensity of invasion and the nature of the pathoanatomical changes.
 - 6. Measures to control invasions: a). medicines and schemes of their use; b). features and main ways of prevention.

REQUIREMENTS OF PHARMACOLOGY AND PARASOTOLOGY DEPARTMENT TO STUDENTS

- 1. Have and wear clean overalls white gown and hat.
- 2. Have with you a workbook for laboratory classes on parasitology with completed homework.
- 3. Have the material provided for the home preparation (see Methodology of discipline).
- 4. The missed classes will be worked out during next week after the student has started classes on the day of the duty of the teachers assigned to this group.
- 5. In time, pass the modules according to the work plan and resit the module during the next week if you receive negative assessment.

The duty of students is a systematic and deep mastery of knowledge, practical skills, professional skills, improving the general cultural level. (Article 52 of the Law of Ukraine "On Education" dated 23 May 1991. № 1060-XI)

SAFETY MEASURES IN CLASSES AT PHARMACOLOGY AND PARASOTOLOGY DEPARTMENT

- 1. Elementary medical ethics or a culture of behavior and work in the workplace.
- 2. Appear to the classes in clean technical clothing (white gown, hat), because the Department of Parasitology is the department of a group of infectious diseases, including: zooanthroponosis (toxoplasmosis, trichomonosis, echinococcosis, fasciollosis, toxocarosis, trichinellosis, etc.), accidental scattering of the invasive onset is possible when receiving sick animals or demonstrating material.
- 3. You should wash your hands after class, whether or not there has been contact with a sick animal, test material (it is advisable to limit food intake in the department).
 - 4. Gently treat virulent and poisonous substances, including acids and alkalis.
- 5. To follow the fire safety rules, since there may be flammable substances such as alcohols, ether, benzene, xylene, etc. in the classroom.
 - 6. To follow the rules of electrical safety, carefully handle electrical appliances.
 - 7. Before the treatment (cure) of animals, especially small one's (dogs and cats) listen to workplace safety training.
- 8. Delivering parasitological material to the department's laboratory, it must be preserved (alcohols, Barbogallo liquid, 10% formaldehyde (organs)) and carefully packed, preventing scattering of invasive onset in the environment.

〈	202 .
	404 .

<u>TOPIC</u>: Characteristics of nematodes of suborder Oxyurata. Diagnostics and differential diagnosis of solipeds' oxyurosis and rabbits' passalurosis

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: General characteristic of round helminths of the class Nematode, Suboder Oxyurata. To study the morphological and biological characteristics of pathogens of Oxyuratoses of animals (*Oxyuris equi* and *Passalurus ambiquus*), their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis of nematodoses of animals. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of Nematodes using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of the diseases caused by these parasitic agents. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

<u>Task performance:</u> 1. The place of pathogens of Oxyuratoses of animals in the world animals system (classification):

Definition:	
	Definition:

2. Morphological characteristics of pathogens of mamm	Oxyuris equi 1	
3. Sources and ways of invasion solipeds and rabbits by	4 –y causative agents of oxyuratoses:	2 3 4
4. Features of life-time and post-mortem diagnostics, linical signs	· · · · · · · · · · · · · · · · · · ·	ipeds and rabbits:

Pathoanatomical changes	σ
Special laboratory diagnostics	
5 Massymas of control and ways of provention of avvergetors in solineds and role	shite. The managetic days as
5. Measures of control and ways of prevention of oxyuratoses in solipeds and rab	odis. Therapeutic drugs.
rreatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro	preparations, temporary and permanent micro preparations,
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Sax >> Signatures: Student	T 4
s <i>n</i>	

(202	
----------	-----	--

TOPIC: Diagnostics and differential diagnosis of skrjabinemosis of small cattle, heterakidoses of poultry

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of skrjabinemosis of small cattle (*Skrjabinema ovis*) and heterakidoses of poultry (*Heterakis gallinarum* and *Ganguloterakis dispar*), their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis of nematodoses of animals. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1-4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Order			2	
uborder			3 – 4 –	
amily	X () 1 \ 2	3	11 22 120	
enus			(ATT)	Skrjabinema ovis
enus		1	4/11////////	
efinition:	 w.			

2. Morphological characteristics of pathological characteristi		1 3 Heterakis gallinarum	4 5	Adult ft. gollinorum Life Cycle Depasit eggs in digestive tract Chicken's feces contain eggs Eggs present in soil, feces and/or hedding Chicken ingests earthworm, soil, feces or bedding containing eggs Posiltry Depasit eggs in digestive tract Chicken's feces contain eggs Eggs present in soil, feces and/or hedding Posiltry DVMI
1 –	4 —			Life cycle of <i>Heterakis</i> in poultry: (http://www.poultrydvm.com/condition/cecal-worms)
2 –				(mp.,, www.pouturyavin.com/condition/ceeda worlds)
3 –				
3. Sources and ways of invasion a	nimals by skrjabin	emosis and heterakidoses pa	athogens:	
	nortem diagnostics			

	11
	_
hoanatomical changes	
ecial laboratory diagnostics	
5. Measures of control and ways of prevention of nematodoses of animals. Therapeutic drugs.	
eatment	
vention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and permanent micro preparations.	ons
ermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs. Signatures: Student Lecturer	

LABORATORY CLASS № 3

(()	202	•

TOPIC: Characteristics of nematodes of suborder Ascaridata. Diagnostics and differential diagnosis of ascarosis of pigs, ascaridatoses of carnivorous

Class location – classroom, laboratory, museum of the department

Purpose of the lesson: To study the morphological and biological characteristics of round helminths of the Suborder Ascaridata. To study the morphological and biological characteristics of pathogen of ascarosis of pigs (*Ascaris suum*), ascaridatoses of carnivorous (*Toxocara canis*, *Toxocara mystax*, *Toxascaris leonina*), their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis of larvae and imaginal ascarosis of pigs, ascaridatoses of carnivorous. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».


<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:


1. The place of pathogens o	f ascaridatoseso f animals in the world animals	system (classification):	
Phylum			
Class	Family		
Order	Genus	Family	
Suborder	Genus	Genus	
Definition			

2. Sources and ways of invasion of animals by ascaridatoses:

3. Morphological features of nematodes and their eggs



Diagrammatic representation of the organization of nematodes. **A** Mouth: 1 = unarmed, 2 = with stylet; 3 = with teeth. **B** Lips: 1=6 lips, 2 = 3 lips, 3 = without lips. **C** Pharynx: 1 = undivided, 2 = with bulbus, 3 = with 2 bulbi. **D** Cuticular stripings: type 5 shows alae. **E** Posterior ends of females. The intestine runs below the sexual system in the midregion. **F** Males. A, amphid; B, seminal vesicula; *CD*, caudal glands; *DA*, anus; *G*, genital opening (vulva); *H*, testis; K, cloaca; *L*, lip; *M*, mouth; *N*, nerve ring; *O*, ovary; *P*, pharynx; *R*, renette; *S*, *seta*; *SM*, spiculum; *U*, uterus. (mehlhorn_h_encyclopedia_of_parasitology)



Life cycle of Ascaris suum

(https://www.semanticscholar.org/paper/Localized-immunity-to-the-large-roundworm-Ascaris-Solano-Aguilar-Beshah/bf6a667ee3739f5bff55abade0e7d998e5e9d725/figure/0)

4. Features of life-time and post-mortem diagnostics, differential diagnosis of ascarosis of pig:

Clinical signs _____

	14
Pathoanatomical changes	
Special laboratory diagnostics	
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment	
Prevention	
Prevention	
Definition:	

6. Morphological features ascarid	latoses of carnivorous:		
Toxascaris leonina	Toxocara canis	Tissues of infermediate host ingested by transmission routes to offspring. Embryonated ages ingested by intermediate host Life cycle of Toxocara canis (https://www.pinterest.at/pin/549439223259679294/?lp=true)	ogs pa feces
1 –	5 –		
	6 –		
	7 <i>–</i>		
4 –	8		
7. Sources and ways of invasion of	carnivorous by ascaridatoses.		
_	t-mortem diagnostics, differential diagnos		

	16
Pathoanatomical changes	
Special laboratory diagnostics	
9. Measures of control and ways of prevention. Therapeutic drugs.	
Treatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, tempor	ary and permanent micro preparations
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.	
« » 20 . Signatures: Student Lect	urer

« »	202	
-----	-----	--

TOPIC: Diagnostics and differential diagnosis of solipeds' parascarosis and calves' neoascarosis

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of ascaridatoses invasion of solipeds and cattle (*Parascaris equorum* and *Neoascaris (syn. Toxocara) vitulorum*). Their place in classification of parasitic worms. To master methods of life-time and postmortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.


<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of pathogens of	of ascaridatoses of animals in the world animals system (cla	ssification):
Phylum	Order	
Class	Suborder	
Family	Family	
Genus	Genus	
Definition:		



3. Sources and ways of invasion solipeds and cattle by ascaridatoses pathogens:

Treatment	
5. Measures of control and ways of prevention. Therapeutic dru	ıgs
Special laboratory diagnostics	
Pathoanatomical changes	
Clinical signs	

TOPIC: Diagnostics and differential diagnosis of ascaridiosis of poultry, anisakidoses of fish and poultry

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of ascaridiosis of poultry, anisakidoses of fish and poultry (*Ascaridia galli, Anisakis dissimilis* and *A. matina, P. decipiens*), Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.


Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.


Task performance:


	nals in the world animals system (· · · · · · · · · · · · · · · · · · ·	
Phylum Class			
Family <u>Ascaridiidae</u>	Family <u>Anisakidae</u>		
Genus Ascaridia	Genus Anisakis	Genus Pseudoterranova	
Definition:			

2. Morphological features of pathogens of ascaridiosis of poultry, anisakidoses of fish and poultry:



5 6





Life cycle of Anisakis dissimilis (https://www.cdc.gov/parasites/anisakiasis/biology.html)

Life cycle of Ascaridia galli (https://quizlet.com/313243609/091018-ascarids-la-p1-flash-cards/)

3. Sources and ways of invasion of ascaridiosis of poultry, anisakidoses of fish and poultry.

4

4. Features of life-time and post-mortem diagnostics, differential diagnosis of ascaridiosis of poultry, anisakidoses of fish and poultry:
Clinical signs
Pathoanatomical changes
Special laboratory diagnostics
5. Measures of control and ways of prevention. Therapeutic drugs.
Treatment
Prevention
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and permanent micro preparations
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.
«

«	>>	202 .

TOPIC: Characteristics of nematodes of suborder Strongylata. Diagnostics and differential diagnosis of strongylidoses of digestive tract in solipeds

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of nematodes of Suborder Strongylata. To study the morphological and biological characteristics of pathogens of strongylidoses of digestive tract in solipeds (*Strongylus equinus, Strongylus* (syn. *Delafondia*) vulgaris, Strongylus (syn. Alfortia) edentatus, Triodontophorus serratus). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of this family using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.


Independently prepare for classes using recommended books (1-4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance: 1. The place of pathogens of strongylideses of animals in the world animals system (classification):

Class			
	Підродина	Підродина	
Order	Genus	Genus	
Suborder			
tion:			

2. Morphological characteristics of pathogens of strongylidoses of digestive tract in solipeds:



4. Features of life-time and post-mortem diagnostics, differential diagnosis of strongylide Clinical signs	
Pathoanatomical changes	
Special laboratory diagnostics	
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparat	tions temporary and permanent micro preparations
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of Signatures: Student	of drugs.

TOPIC: Diagnostics and differential diagnosis of strongylatoses of digestive tract in ruminants

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of main pathogens of digestive tract strongylatoses in ruminants (Chabertia ovina, Oesophagostomum radiatum, Oe. venulosum, Oe. columbianum, Bunostomum trigonocephalum, B. phlebotomum, Nematodirus spatiger, Haemonchus contortus). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.


<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1-4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

Phylum	Order	Class	Suborder	
Family		Family	Family	
Genus	Genus	Genus	Genus	
		Genus		
Definition:				




1. The place of pathogens of animals' strongylatoses in the world animals system (classification):









2 – 3 –	
4 –	
5 –	







The general life cycle of gastrointestinal (GI) nematodes. ${}_{(https://www.vettimes.co.uk/archives/vt09/VT3904502001F001,jpg)}$



Life cycle of Haemonchus contortus (https://www.researchgate.net/figure/Life-cycle-of-Haemonchus-contortus-Courtesy-pinterestcom_fig1_328019525)





Life cycle of Nematodirus spatiger

(https://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&ved=2ahUKEwi9-thtps://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&ved=2ahUKEwi9-thtps://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&ved=2ahUKEwi9-thtps://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&ved=2ahUKEwi9-thtps://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&ved=2ahUKEwi9-thtps://www.google.com/search?q=Life+cycle+of+Nematodirus+spathiger&tbm=isch&hl=ru&nfpr=1&client=firefox-b-d&hl=ru&nfpbf8zOjnAhWRtyoKHavRAwgQBXoECAEQKA&biw=1349&bih=654#imgrc=HBQDWgA9W4RF9M&imgdii=2qqM1ilxtibIKM)

3. Sources and ways of invasion of ruminants by digestive tract strongylatoses:
4. Features of life-time and post-mortem diagnostics, differential diagnosis of digestive tract strongylatoses in ruminants: Clinical signs

Pathoanatomical changes
Special laboratory diagnostics
5. Measures of control and ways of prevention. Therapeutic drugs.
Treatment
Prevention
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and permanent micro preparat
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.
«

«	>>	202 .

TOPIC: Diagnostics and differential diagnosis of ancylostomatidoses of carnivorous, oesophagostomosis of pigs and amidostomosis of geese

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of digestive tract strongylatoses of pigs (*Oesophagostomum dentatum, Ollulanus tricuspis, O. suis*), carnivorous (*Ancylostoma caninum, Uncinaria stenocephala*) and geese (*Amidostomum anseris*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.


Task performance:

1. The place of pathogens of animals' strongylatoses in the world animals system (classification):


1. The place of pathog	sens of animals strongliatoses in the	ie world difficults system (etassified	2011).	
Phylum	Class	Order	Suborder	
Family	Family	Family	Family	
Genus	Genus	Genus	Genus	
		Genus		
Definition:				

2. Morphological features of main species digestive tract strongylatoses of pigs, carnivorous and geese: Oesophagostomum dentatum Ollulanus tricuspis, O. suis Life cycle of *Oesophagostomum* spp: 1 – hea of pathogen; 2 – tail of mail; 3 – immature egg; 4 – the exit of the first stage; 4 – _____ 3 – larvae from the egg 5 – invasive larva. Definition: _____


Uncinaria stenocephala



1 –			
2-			




Ancylostoma caninum



•	 		-
2 –			
_			
3 _			

$4{-}$			
5			

Amidostomum anseris



· .	
2 – .	
4 – .	
_	

Life cycle of Amidostomum anseris:

- 1 head of nematode; 2 tail of male; 3 immature egg; 4 mature egg; 5 invasive larva

3. Sources and ways of invasion of animals by ancylostomatidoses, oesophagostomosis and amidostomosis:	
4. Features of life-time and post-mortem diagnostics, differential diagnosis of digestive tract strongylatoses in pigs, dogs and poultry: inical signs	
athoanatomical changes	
pecial laboratory diagnostics	_
5. Measures of control and ways of prevention. Therapeutic drugs. reatment	
evention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and permanent micro preparation termediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs. >> 20 . Signatures: Student Lecturer	ns,

<u> </u>	»	202	p.
----------	---	-----	----

TOPIC: Diagnostics and differential diagnosis of strongylatoses of respiratory tract in ruminants

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of respiratory tract strongylatoses in ruminants (*Dictyocaulus viviparus*, *D. filaria*, *Muellerius capillaris* and others). To study the morphological and biological characteristics of pathogens of nemadotes of respiratory tract – metastrongylosis of pigs (*Metastrongylus elongatus*, *M. salmi*, *M. pudendotectus*) and syngamosis of poultry (*Syngamus trachea*, *S. skrjabinomophora*, *S. merulae*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of par	thogens of animals' strongylatoses	s in the world animals system (class	ssification):	
Phylum	Class	Order	Suborder	
Family	Genus	Family	Genus	
Definition:				

2. Morphological features of main species of respiratory tract strongylatoses in ruminants: Dictyocaulus filaria, Dictyocaulus viviparus Life cycle of Dictyocaulus spp



Life cycle of Prothostrongylus spp

7	_
J	1

<u>TOPIC</u>: Diagnostics and differential diagnosis of metastrongylosis of pigs and syngamosis of poultry. *Content module IV. «Veterinary nematodology and nematodoses of animals»*

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of nemadotes of respiratory tract – metastrongylosis of pigs (*Metastrongylus elongatus*, *M. salmi*, *M. pudendotectus*) and syngamosis of poultry (*Syngamus trachea*, *S. skrjabinomophora*, *S. merulae*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Distance learning portal (MOODLE) of SBTU».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogents of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

<u>Task performance:</u>

1. The place of pathogens of	of animals in the world animals syste	m (classification):	
Phylum	Order		
Class	Suborder		
Family	Family		
Genus	Genus		
Definition:			

2. Morphological characteristics of pathogens of me	etastrongylosis of pigs and syng	gamosis of poultry:				
1 –	1 1111	2 21 18///		20 8		
2 –	0,4 km	2 200	119	Definitive ho	ske	\
4 –	š] /// ///		///		///	
				(1	/\'	
		3		.15-5 weeks		
				15-3 weeks		
		2 MM	2 /		() //	'
	1 ////1 - 4		11/			
		//	10	Intermediate h	Oats Maria	/).
			\			
⊗		1 = tai	Life cycle of	Metastrongyl 2 – egg; 3 –	us spp:	va· 4 –
				etastrongilus in		
			dans	0		18
3-		— <i> 19</i> 7	VVVC-HI			9
		\ \	1	\bigcirc	(D)	A
			W)		(6)	No.
Life cycle of Syngamus spp		Syngamus trachea	<i>₃</i>	0,05 MM 4	B.05 mm	6
						Contract of the second

3. Sources and ways of invasion of animals by metastrongylosis and syngamosis:	
4. Features of life-time and post-mortem diagnostics, differential diagnosis of metastrongylosis of pigs and syn Clinical signs	ngamosis of poultry:
Pathoanatomical changes	
Special laboratory diagnostics	
5. Measures of control and ways of prevention. Therapeutic drugs.	
Treatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and p Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.	ermanent micro preparations,
«» 20 . Signatures: Student Lecturer	

LABORATORY	<i>CLASS</i>	<i>№</i>	8,	9
-------------------	--------------	----------	----	---

«	<u></u> »	202
----------	-----------	-----

TOPIC: Characteristics of nematodes of suborder *Trichurata*. Diagnostics and differential diagnosis of animals' trichuroses and trichinelosis.

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens from suborder *Trichurata*: pigs (*Trichuris suis*), ruminant (*T. ovis, T. skrjabini*), carnivorous (*T. canis, T. vulpis*), trichinelosis of animals (*Trichinella spiralis, T. pseudospiralis*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micro preparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Parasitology and invasive diseases of animals» at the «Portal of educational information resources of MOODLE».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogens of these diseases using the museum material (macro preparations), temporary and permanent micro preparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of pa	thogens of animals in the world anim	als system (classification):		
Phylum	Class	Order	Suborder	
	Family	Family		
	Genus	Genus		
Definition:				

2. Morphological characteristics of pathogens of pigs, ruminant and carnivorous. Trichuris suis, T. ovis, T. skrjabini, T. canis, T. vulpis Заел. Life cycle of Trichuris of pigs Definition:

3. Morphological characteristics of p Trichinella – larval stage 1 –	athogens of trichinelosis of animals. 77.1-77 doisa	Trichinella a –
	Life cycle of Trichinella:	В —
	1 – tail of female; 2 – tail of male;	В
	3 – larva I stage; 4 – invasive larva; 5 –larva in capsules ir	muscles.
4. Sources and ways of invasion of an	nimals by trichuroses and trichinelosis of animals:	
_	tem diagnostics, differential diagnosis of trichuroses and tri	chinelosis of animals:

			44
Pathoanatomical changes			
Special laboratory diagnostics			
6. Measures of control and ways of prever Treatment			
Prayantion			
Prevention			
Material and technical supply. Microscope ntermediate hosts. Tables, schemes, invasive animal	es, magnifying glass, permanent	macro preparations, temporary and per	manent micro preparations
	Signatures: Student	Lecturer	

LABORATORY CLASS No 10

«	»	202	

TOPIC: Characteristics of nematodes of suborder *Spirurata*. Diagnostics and differential diagnosis of thelaziosis of cattle and spiruratoses of poultry (tetramerosis, streptocarosis, echinuriosis).

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of nematodes of suborder *Spirurata* – thelaziosis of cattle (*Thelaziia rhodesi, Th. gulosa, Th. skrjabini*) and spiruratoses of poultry (tetramerosis (*Tetrameres fissispina*), streptocarosis (*Streptocara crassicauda*), echinuriosis (*Echinuria uncinata*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micropreparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Veterinary Parasitology» at the «Portal of educational information resources of Kharkiv State ZooVeterinary Academy! (MOODLE)».


<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogens of these diseases using the museum material (macropreparations), temporary and permanent micropreparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:


1. The place of path	nogens of animals in the world anim	nals system (classifica	tion):	
Phylum	Class	Order	Suborder	
Family	Family		Family	
Genus	Genus		Genus	
			Genus	
efinition:				
	-			

2. Morphological characteristics of pathogens of thelaziosis of cattle:	O DPDx	Thelazia spp.	CDC
1		errant transmission numers.	
1 2 3 6- 7- 8- 9-		Definitive host becomes infected when the intermediate host feed on lacinal secretions, releasing L3 larvae into the eye.	Adults in conjunctival sac.
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Infective stage Diagnostic stage	2 L1 barvoe are dipteran inso hosts in the secretions of	ingested by the ct intermediate do on lacrimal the definitive hast.
		Te cycle of Thelazias	,
Definition:	, =	v.cdc.gov/dpdx/thelaziasis/ind	lex.html)


3. Morphological characteristics of pathogens of spiruratoses of poultry (tetramerosis, streptocarosis, echinuriosis).:



1 – .		
2 – .		
3 –		
4 –]		





(https://vet.kku.ac.th/pathology/somboon/Nemat-Horse-Poultry/TetrameresPPT.pdf):



Life cycle Streptocara crassicauda:

- 1 definitive host; 2 egg; 3 larva I stage; 4 larva II stage;
- 5 larva III stage; 6 intermediate host; 7 reservoir host.





Life cycle Echinuria uncinata:

- 1 head of Echinuria, 2 tail of male; 3 egg;
- 4 invasive larva; 5 daphnia; 6 larva of parasite in the daphnia's body.
 - 4. Sources and ways of invasion of animals by thelaziosis, spiruratoses of poultry (tetramerosis, streptocarosis, echinuriosis):

5. Features of life-time and post-mortem diagnostics, differential diagnosis of thel (tetramerosis, streptocarosis, echinuriosis):	aziosis of cattle and spiruratoses of poultry
Clinical signs	
Cinited signs	
Pathoanatomical changes	
Special laboratory diagnostics	
Special Mooratory diagnostics	
6. Measures of control and ways of prevention. Therapeutic drugs.	
Treatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro	preparations, temporary and permanent micro preparations
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faces from them. Sar	mples of drugs.
«	Lecturer

LABORATORY CLASS № 11, 12

« »	202	

TOPIC: Characteristics of nematodes of suborder *Filariata*. Diagnostics and differential diagnosis of onchocercoses and setarioses of ruminants and horses, parafilariosis of horses, dirofilariosis of carnivorous

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of nematodes of onchocercoses and setarioses of ruminants and horses (*Onchocerca gutturosa*, *O. lienalis*, *O. cervicalis*, *O. reticulata*, *Setaria labiatopapillosa*, *S. cervi*, *S. digitata*, *S. equina*), parafilariosis of horses(*Parafilaria multipapillosa*), dirofilariosis of carnivorous (*Dirofilaria immitis*, *D. repens*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micro preparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.

Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Parasitology and invasive diseases of animals» at the «Portal of educational information resources of MOODLE».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogens of these diseases using the museum material (macro preparations), temporary and permanent micro preparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, and appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of pathogens of animals in the world animals system (classification):

Phylum _____ Class ____ Order ____ Suborder _____


Family _____ Family ____ Family _____

Genus ____ Genus ____ Genus ____ Genus _____

Definition: _____


2. Morphological characteristics of pathogens onchocercoses and setarioses of ruminants and horses, parafilariosis of horses, dirofilariosis of carnivorous: 1-____ 2-____ 3 – Definitive host Life cycle of Onchocerca spp Intermediate hos Onchocerca-Simulium Übertragungszyklen Onchocerca Life Cycle of Onchocerca cervicalis Microfilaria live on dermis of skin (larvae of 5 Simulium Infected horse sheds larvae: Fly bites horse and larvae enter fly when horse is bitten and can now be parasite develops into transmitted to other horses Wolbachia Fly bites horse again. Second stage larvae travel to connective tissue in neck and develop into adult worm

efinition:	
Life cycle Setaria spp Setaria equina	
5	2




The end parts of the body of imago heartworms

1 –	 	 	
2 –			
_			



Definition:



Life cycle of Dirofilaria repens (https://www.cdc.gov/parasites/dirofilariasis/biology_d_repens.html)

(https://mtnviewvet.net/heartworm-life-cycle-in-dogs-and-humans/)

3. Sources and ways of dirofilariosis of carnivorous:			nd horses,	parafilariosis o	of horses,

	55
4. Features of life-time and post-mortem diagnostics, differential diagnosis of onchocercoses and setarioses of ruminants and hor parafilariosis of horses, dirofilariosis of carnivorous: Clinical signs	rses
Pathoanatomical changes	_

	56
Special laboratory diagnostics	
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment	
Teatment	
Prevention	
Material and technical supply. Microscopes, magnifying glass, permanent macro preparations, temporary and perma	nent micro preparations,
Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.	

«»	202 p	•
----	-------	---

TOPIC: Characteristics of nematodes of suborder Rhabditata. Diagnostics and differential diagnosis of strongyloidoses of young animals

Class location – classroom, laboratory, museum of the department.

Purpose of the lesson: To study the morphological and biological characteristics of pathogens of nematodes of suborder Rhabditata (*Strongyloides papilosus, S. westeri, S. ransomi, S. vulpis*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micro preparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of nematodous diseases of animals.


Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Parasitology and invasive diseases of animals» at the «Portal of educational information resources of MOODLE».

<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogens of these diseases using the museum material (macro preparations), temporary and permanent micro preparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, and appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of pathogens of animals in the world animals system (classification):

Phylum	Definition:
Class	
Order	
Suborder	
Family	
Genus	



Pathoanatomical changes Special laboratory diagnostics 5. Measures of control and ways of prevention. Therapeutic drugs. Freatment Prevention	4. Features of life-time and post-mortem diagnostics, differential diagnosi	s of strongyloidoses of young animals:
Special laboratory diagnostics	Clinical signs	
Special laboratory diagnostics		
Special laboratory diagnostics	Pathoanatomical changes	
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment		
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment		
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment		
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment		
5. Measures of control and ways of prevention. Therapeutic drugs. Treatment	Special laboratory diagnostics	
Treatment	Special laboratory diagnostics	
Treatment		
Treatment		
Treatment		
Treatment	5 Measures of control and ways of prevention. Therapeutic drugs	
	• 1	
Prevention	Treatment	
Prevention		
Prevention		
Frevention	Duayontian	
	Prevention	
Material and technical supply Microscopes magnifying glass permanent magra proporations temporary and permanent micro proporations	Material and technical supply Microscopes magnifying glass narmonant	magra praparations tamporary and narmonant micro proparations
<u>Material and technical supply.</u> Microscopes, magnifying glass, permanent macro preparations, temporary and permanent micro preparations, intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of drugs.	Intermediate hosts Tables schemes invasive animals or freshly obtained faeces from t	hem Samples of drugs
20 - Cianataman Ctarlant		

LABORATORY CLASS No 14

«» 202	«	>>			
--------	----------	-----------------	--	--	--

TOPIC: General characteristics of helminthes of Acanthocephala class. Diagnostics and differential diagnosis of macracanthorhynchosis of pigs, poultry's polymorphosis and filicollosis.

Class location – classroom, laboratory, museum of the department.

<u>Purpose of the lesson</u>: To study the morphological and biological characteristics of pathogens of Acanthocephala class – macracanthorhynchosis of pigs (*Macracanthorhynchus hirudinaceus*), poultry's polymorphosis (*Polymorphus magnus*, *P. minutus*) and filicollosis (*Filicollis anatis*). Their place in classification of parasitic worms. To master methods of life-time and post-mortem diagnosis and differential diagnosis. To get acquainted with anthelmintic preparations and with the peculiarities of their use in different types of animals. To study the eggs and larval stages of these parasites and draw them.

<u>Task:</u> To study the morphological features of pathogens of these families using macro- and micro preparations, to know the peculiarities of their development. To master features of diagnostics and differential diagnosis of these diseases. To study the samples of anthelmintic preparations, their use for therapeutic and preventive purposes. To master practically basic methods of laboratory diagnostics of a group of Acanthocephalatoses diseases of animals.


Independently prepare for classes using recommended books (1–4), lecture material and electronic files from the discipline «Parasitology and invasive diseases of animals» at the «Portal of educational information resources of MOODLE».


<u>Auditory work.</u> To study and make a drawing or mark in pictures the basic diagnostic features of pathogens of these diseases using the museum material (macro preparations), temporary and permanent micro preparations. Carry out clinical and parasitological examination of animals, make a diagnostics and differential diagnosis, and appoint treatment. Get acquainted with the arsenal of medicines recommended for control this group of diseases.

Task performance:

1. The place of pathog	gens of macracanthorhynchosis	s in the world animals system (classific	ation):	
Phylum	Class	Order		
Family	Genus			
Definition:				

2. Morphological characteristics of pathogens of macracanthorhynchosis of pigs:





Life cycle Macracanthorhynchus hirudinaceus

(https://www.cdc.gov/dpdx/acanthocephaliasis/index.html)

4. Features of life-time and post-mortem diagnostics, differential diagnosis of macracanthorhynchosis in pigs:	
Clinical signs	

Pathoanatomical changes				
Special laboratory diagnostics				
	d ways of prevention. Therapeutic dr	_		
Treatment				
Duoviontion				
Frevention				
6. The place of pathogens	of Polymorphosis and Filicollosis in th	ne world animals system (classifica	tion):	
Phylum	Order	Order		
Class		Family		
	Genus			
Definition:				

7. Morphological characteristics of pathogens of Acanthocephalatoses of poultry: Life cycle of *F. anatis* (https://link.springer.com/referenceworkentry/10.1007%2F3-540-29834-7_8) Polymorphus magnus Filicollis anatis Final hosts B POLYMORPHUS Intermediate hosts 8. Sources and ways of invasion of animals by polymorphosis and filicollosis: 9. Features of life-time and post-mortem diagnostics, differential diagnostics diagnostics Acanthocephalatoses in poultry:

Clinical signs _____

	04
Pathoanatomical changes	
Special laboratory diagnostics	
10. Measures of control and ways of prevention. Therapeutic drugs.	
Treatment	
Prevention	
<u>Material and technical supply.</u> Microscopes, magnifying glass, permanent macro prepara Intermediate hosts. Tables, schemes, invasive animals or freshly obtained faeces from them. Samples of	itions, temporary and permanent micro preparations of drugs.
« » 20 n. Signatures: Student	